# SAFETY DATA SHEET

### 1. Identification

Product identifier	NovoRez 370 - Resin/Side	Α
Other means of identification SKU#	NR370H	
Recommended use	Not available.	
<b>Recommended restrictions</b>	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name Address	ITW Engineered Polymers 130 Commerce Drive Montgomeryville, PA 18936 United States	
Telephone Website E-mail Contact person Emergency phone number	Customer Service www.itwengineeredpolymers orders.na@itwep.com EHS Department CHEMTREC International	215-855-8450 s.com 800-424-9300 703-527-3887

### 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation Category 2	
	Serious eye damage/eye irritation	Category 2
	Sensitization, skin	Category 1
Environmental hazards	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	

#### Label elements



Signal word	Warning		
Hazard statement	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic aquatic life with long lasting effects.		
Precautionary statement			
Prevention	Avoid breathing mist or vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves.		
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		

47.21% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment. 93.57% of the mixture consists of component(s) of unknown acute oral toxicity. 63.78% of the mixture consists of component(s) of unknown acute inhalation toxicity. 73.92% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 93.57% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment.

### 3. Composition/information on ingredients

**Mixtures** 

Chemical name	Common name and synonyms	CAS number	%
Barium Sulfate		7727-43-7	10 - 30
Fibrous Glass		65997-17-3	5 - 10
Quartz		14808-60-7	1 - 5
Other components below reportable levels			30 - 60

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inholation	Mayo to fresh air. Call a physician if aymptome develop ar paraiet
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.

Specific methods General fire hazards

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.		
Methods and materials for containment and cleaning up	Prevent entry into waterways, sewer, basements or confined areas. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.		

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Use standard firefighting procedures and consider the hazards of other involved materials.

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

**Precautions for safe handling** Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Barium Sulfate (CAS 7727-43-7)	PEL	5 mg/m3	Respirable fraction.	
,		15 mg/m3	Total dust.	
Quartz (CAS 14808-60-7)	PEL	0.05 mg/m3		
US. OSHA Table Z-3 (29 Cl	•		-	
Components	Туре	Value	Form	
Quartz (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.	
		2.4 mppcf	Respirable.	
US. ACGIH Threshold Limi				
Components	Туре	Value	Form	
Barium Sulfate (CAS 7727-43-7)	TWA	5 mg/m3	Inhalable fraction.	
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.	
US. NIOSH: Pocket Guide	to Chemical Hazards			
Components	Туре	Value	Form	
Barium Sulfate (CAS 7727-43-7)	TWA	5 mg/m3	Respirable.	
·		10 mg/m3	Total	
Fibrous Glass (CAS 65997-17-3)	TWA	3 fibers/cm3	Fiber.	
		3 fibers/cm3	Dust.	
		5 mg/m3	fibers, total dust	
	TWA	5 mg/m3 0.05 mg/m3	Fiber, total Respirable dust.	
Quartz (CAS 14808-60-7)		•	Respirable dust.	
logical limit values	No biological exposure limits noted for the ing	( )		
propriate engineering trols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilatio or other engineering controls to maintain airborne levels below recommended exposure limits. exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.			
vidual protection measures	s, such as personal protective equipment			
Eye/face protection	Face shield is recommended. Wear safety gla	Face shield is recommended. Wear safety glasses with side shields (or goggles).		
Skin protection Hand protection	Wear appropriate chemical resistant gloves.			
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.			
		•		
Respiratory protection	In case of insufficient ventilation, wear suitable	In case of insufficient ventilation, wear suitable respiratory equipment.		

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

### 9. Physical and chemical properties

Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Color	Grey.
Odor	Slight.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 250.0 °F (> 121.1 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	12.25 lb/gal
Explosive properties	Not explosive.
Flammability class	Combustible IIIB estimated
Oxidizing properties	Not oxidizing.
Specific gravity	1.47

### 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

### 11. Toxicological information

#### Information on likely routes of exposure

Information on likely routes of e	xposure		
Inhalation	Prolonged inhalation may be harmful.		
Skin contact	Causes skin irritation. May cause an allergic skin reaction.		
Eye contact	Causes serious eye irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.		
Information on toxicological effe	ects		
Acute toxicity	Not known.		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation.		
Respiratory or skin sensitizatior	1 Andrew State Sta		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.		
Skin sensitization	May cause an allergic skin reaction.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
IARC Monographs. Overall I	Evaluation of Carcinogenicity		
Quartz (CAS 14808-60-7) OSHA Specifically Regulate	) 1 Carcinogenic to humans. d Substances (29 CFR 1910.1001-1050)		
Not regulated.			
	ogram (NTP) Report on Carcinogens		
Quartz (CAS 14808-60-7)	•		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be harmful.		
12. Ecological information	I		
Ecotoxicity	Toxic to aquatic life with long lasting effects.		
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential			
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	IS		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions)		

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information


#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

UN number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s. (Epoxy Resin:reaction Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin))
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	
Environmental hazards	No.
ERG Code	9L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN3082
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin:reaction Product Of Bisphenol A And Epichlorohydrin (refer To Epichlorohydrin)), MARINE POLLUTANT
Transport hazard class(es)	
Class	9
Subsidiary risk	-
Packing group	
Environmental hazards	
Marine pollutant	Yes
EmS	F-A, S-F
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.

# IATA; IMDG



Marine pollutant



**General information** 

IMDG Regulated Marine Pollutant.

### **Regulatory** information

15. Regulatory information	on		
US federal regulations	This product is a "Haza Standard, 29 CFR 1910	rdous Chemical" as defined by the OSHA Ha 0.1200.	zard Communication
TSCA Section 12(b) Export Not regulated.		7, Subpt. D)	
CERCLA Hazardous Subst			
Barium Sulfate (CAS 77 SARA 304 Emergency relea	,	Listed.	
Not regulated. OSHA Specifically Regulat Not regulated.	ed Substances (29 CFR 1	910.1001-1050)	
Superfund Amendments and R	eauthorization Act of 10	86 (SARA)	
Hazard categories	Immediate Hazard - Ye Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No		
SARA 302 Extremely hazar Not listed.	dous substance		
SARA 311/312 Hazardous chemical	No		
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pol	utants (HAPs) List	
Not regulated.			
•	n 112(r) Accidental Relea	ase Prevention (40 CFR 68.130)	
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
US state regulations	WARNING: This produ- birth defects or other re	ct contains a chemical known to the State of productive harm.	California to cause cancer and
US - California Propos	ition 65 - CRT: Listed dat	e/Carcinogenic substance	
Carbon Black (CAS	,	Listed: February 21, 2003	
Quartz (CAS 14808		Listed: October 1, 1988 Consumer Products Regulations (Cal. Co	do Borro tit 22 60502.2
subd. (a))	ale Chemicals List. Salei	Consumer Products Regulations (Cal. Co	de Regs, III. 22, 69502.3,
Quartz (CAS 14808	3-60-7)		
International Inventories	,		
Country(s) or region	Inventory name		On inventory (yes/no)*
Australia	•	Chemical Substances (AICS)	No
Canada	Domestic Substances I		No
Canada	Non-Domestic Substan		No
China		nemical Substances in China (IECSC)	No
Europe	• •	Existing Commercial Chemical	No
Europe	European List of Notifie	ed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing ar	d New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List		No
New Zealand	New Zealand Inventory		No
Philippines	Philippine Inventory of (PICCS)	Chemicals and Chemical Substances	No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes \*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

(PICCS)

## 16. Other information, including date of preparation or last revision

,	5 1 1
Issue date	11-25-2013
Revision date	11-24-2016
Version #	02
HMIS® ratings	Health: 2 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 2 Flammability: 1 Instability: 0
Disclaimer	ITW Engineered Polymers cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.